

LISTING OF CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously Presented) A surface-modified glove comprising:

an elastomeric matrix in the shape of a glove that receives a human hand therein, the matrix having an inside surface for contact with a human hand received within the glove and an outside surface; and

a plurality of colloidal silica particles adhered to at least a portion of the outside surface of the matrix and partially embedded therein without extending through the thickness of the matrix.
2. (Previously Presented) The surface-modified glove of claim 1, wherein the elastomeric matrix comprises natural latex.
3. (Previously Presented) The surface-modified glove of claim 1, wherein the elastomeric matrix comprises a synthetic elastomer.
4. (Previously Presented) The surface-modified glove of claim 1, wherein the elastomeric matrix comprises a nitrile rubber.
5. (Previously Presented) The surface-modified glove of claim 1, wherein the colloidal silica particles have a maximum dimension of from about 10 nanometers to about 100 nanometers.
6. (Previously Presented) The surface-modified glove of claim 1, wherein the colloidal silica particles are electrically conductive.

7. (Previously Presented) The surface-modified glove of claim 1, wherein the colloidal silica particles further comprise an electrically conductive surface treatment thereon.

8. (Previously Presented) The surface-modified glove of claim 1, wherein the colloidal silica particles further comprise a layer of an electrically conductive material on the surface thereof.

9. (Previously Presented) The surface-modified glove of claim 1, wherein the colloidal silica particles further comprise a layer of aluminum chlorohydrate on the surface thereon.

10. (Previously Presented) The surface-modified glove of claim 1, further including an inside surface treatment on the inside surface.

11. (Previously Presented) The surface-modified glove of claim 1, wherein there is no separate binder material affixing the colloidal silica particles to the outside surface.

12. (Currently Amended) A surface-modified glove article, comprising:
an elastomeric matrix having an outside surface; and
a plurality of colloidal silica particles adhered to at least a portion of the outside surface of the matrix without any separate binder material, said particles being partially embedded in said outside surface without extending through the thickness of the matrix.

13. (Currently Amended) A surface-modified glove article, comprising:
an elastomeric matrix having a surface; and
a plurality of colloidal silica particles adhered to at least a portion of the surface of the matrix but not extending through the thickness of the matrix, the colloidal silica

particles being affixed to the surface of the matrix without any separate binder material affixing the colloidal silica particles to the surface, wherein the colloidal silica particles are electrically conductive.

14. (Previously Presented) A method for making an elastomeric article, comprising the steps of:

providing a mold whose surface defines at least a portion of the surface of the elastomeric article;

preparing a coating composition comprising a plurality of colloidal silica particles;

applying the coating composition to a surface of the mold;

contacting a flowable elastomer with the coated surface of the mold;

allowing the flowable elastomer to coalesce against the coated surface thereby forming an elastomeric article, said colloidal silica particles being adhered to said coalesced elastomer; and

separating the coalesced elastomer from the mold surface such that said coalesced elastomer is turned inside-out, said elastomeric article including an inside surface and an outside surface, said colloidal silica particles being adhered to said outside surface.

15. (Original) The method of claim 14, wherein the elastomeric article is a glove.

16. (Original) The method of claim 14, wherein the coating composition further comprises a coagulant.

17. (Original) The method of claim 14, wherein the flowable elastomer comprises natural latex.

18. (Original) The method of claim 14, wherein the flowable elastomer comprises a synthetic elastomer.

19. (Original) The method of claim 14, wherein the flowable elastomer comprises a nitrile rubber.

20. (Cancelled)

21. (Currently Amended) The surface-modified glove ~~article~~ of claim 12, wherein the colloidal silica particles are electrically conductive.

22. (Previously Presented) The method of claim 14, wherein the colloidal silica particles are partially embedded in the outside surface of said elastomeric article.

23-30. (Cancelled)

31. (Previously Presented) A surface-modified glove comprising:
an elastomeric matrix in the shape of a glove adapted to receive a human hand therein, said elastomeric matrix having an inside surface for contact with a human hand received within the glove and an outside surface; and

a surface treatment adhered to at least a portion of the outside surface of said glove, said surface treatment comprising a plurality of colloidal silica particles adhered to and partially embedded in said outside surface of said glove.

32. (Previously Presented) A glove as defined in claim 31, wherein said silica particles have a maximum dimension of from about 10 nanometers to about 100 nanometers.

33. (Previously Presented) A glove as defined in claim 31, wherein said silica particles are electrically conductive.

34. (Previously Presented) A glove as defined in claim 31, wherein the silica particles further comprise a layer of aluminum chlorohydrate on the surface thereon.

35. (Previously Presented) A glove as defined in claim 31, wherein said silica particles are adhered to said outside surface of said glove by a binder.

36. (Currently Amended) The surface-modified glove article of claim 13, wherein the colloidal silica particles are partially embedded in the outside surface.

37. (Previously Presented) The method of claim 14, wherein the colloidal silica particles are electrically conductive.